




A world-leading valve product range



VELAN

Quality that lasts.

Velan at a glance

History

- Founded in 1950

People

- Over 1,600 employees

Product line

A world-leading range of valves across all major industrial applications:

- High pressure gate, globe, and check valves
- API standard gate, globe, and check valves
- Metal-seated and resilient-seated ball valves
- Triple offset valves
- Dual plate check valves
- API 6D & 6A valves
- Including: steam traps, actuators, and control systems.

Quality

Velan holds major applicable approvals:

- ASME N/NPT (since 1970)
- ISO 9001 (since 1991)
- ISO 14001
- OHSAS 45001
- PED
- IEC 61508 SIL 3 Capable
- GOST/EAC
- API 6A and 6D
- TA-Luft

Comprehensive quality programs that are compliant with the most stringent industry standards such as: ISO 9001, API Q1, NCA 4000, ASME NQA-1 and 10 CFR 50 Appendix B.

Velan has been surveyed and audited by leading organizations around the world such as Bureau Veritas, API, ASME, NUPIC, DCMA, and shipbuilding companies.

Total Process Improvement Program, including Lean manufacturing and Six Sigma

Headquartered in Montreal, Velan has several international subsidiaries.

For general inquiries:

Velan Head office:
7007 Côte de Liesse,
Montreal, QC H4T 1G2 Canada

Tel: +1 514 748 7743

Fax: +1 514 748 8635

velan.com

A world leader in valve design, engineering solutions, and manufacturing



A large Torqseal™ triple offset valve used for crude oil service in the Dalian Seaport (China).

Leading the way

Velan is one of the world's leading manufacturers of industrial steel valves, recognized as a standard-bearer in quality and innovation. The company was founded by acclaimed inventor and entrepreneur A.K. Velan in 1950, and continues to leverage advanced engineering capabilities and innovation to create high-performance valves that meet critical industrial needs in a diverse range of applications.

Today, Velan's extensive range of valves, steam traps, control systems, and actuators are installed throughout the world, handling diverse applications in cogeneration, fossil, nuclear power, oil and gas, refining and petrochemicals, chemicals and pharmaceutical, pulp and paper, LNG and cryogenics, marine, mining, water and wastewater, and HVAC industries.

Engineered solutions

Velan's Engineering Group has vast experience, sophisticated software, and testing tools that enable us to find solutions to any customer challenge.

Whether it is for valves to handle liquid helium at -458°F (-272°C) in the world's largest particle accelerator at CERN, Geneva; four-way switch coker ball valves to handle one of the refining industry's toughest services; or valves for main steam isolation service in an operating nuclear power plant, Velan has been selected by most of the world's leading engineering construction firms and industrial end users.

A long-standing commitment to quality has kept Velan at the forefront of industry standards. Velan holds all major industry certifications, including ASME Section III, ISO 9001:2008, PED, and API 6A and API 6D. Many prominent companies have established partnerships or global supply agreements with Velan.

Total quality commitment

Velan is totally committed to offering products and service that exceed customer expectations. Our Integrated Management system is based on a continuous improvement of our processes in terms of organization, Environment & Sustainability, and Health & Safety.

All Velan valves are designed and manufactured with an emphasis on low emissions, safety, simple maintenance, ease of operation—and above all—long, and reliable service life. In fact, several years ago when a leading North American repair shop did an analysis on the reliability and reparability of commodity valves, Velan finished first. Whether we are manufacturing commodity valves or specialty valves, we deliver excellent long-term value to our customers.

Manufacturing capabilities

Velan uses the latest automation technology, including CNC machines and many special-purpose transfer machines, enhanced by proprietary production techniques. Thanks to a wide range of equipment, we can efficiently handle highly customized orders as well as large production runs.

Velan employs over 1,600 professionals, the majority of whom are located in North America. International production centers are complemented by a global sales and distribution network, offering personal customer service and quick access to stock worldwide.

After sales service support

Velan aftermarket services offer customers with in-line service and maintenance on all our valve products. Our team of engineers and technicians is equipped with the most sophisticated tools available on the market and have over 70 years of valve service experience across a wide range of industries.

Velan is a true global manufacturing force

Head office



Montreal, Canada
Velan Inc.

Global service with strong local presence

Velan is a true global manufacturing leader. What's more, our global presence goes far beyond our manufacturing facilities. Velan's wide range of valves are sold through an extensive network of distribution companies worldwide, guaranteeing that one of our Velan representatives is always nearby and ready to help.

Our distributors are further supported by our North American and European distribution centers. Velan's large inventories and premier sales network have helped us become a leader in supplying maintenance, repair, and overhaul (MRO) contracts to many of the world's largest industrial companies.

- 12 production facilities
- 3 plants in North America
- 4 plants in Europe
- 5 plants in Asia
- 2 stocking and distribution centers
- Hundreds of distributors worldwide
- Service shops worldwide

Manufacturing plants

North America



Montreal, Canada
Velan Inc.



Europe



Lyon, France
Velan SAS



Asia



Ansan City, South Korea
Velan Ltd., Plant 1

Distribution centers

North America



Missouri City, TX, U.S.A.
Velan Valve Corp.



Granby, Canada
Velan Inc.



Mennecey, France
Segault SAS



Ansan City, South Korea
Velan Ltd., Plant 2

Europe



Willich, Germany
Velan GmbH



Williston, VT, U.S.A.
Velan Valve Corp.



Lisbon, Portugal
Velan Válvulas Industriais, Lda.



Taichung, Taiwan
Velan Valvac Mfg. Co., Ltd.



Lucca, Italy
Velan ABV S.r.l.



Suzhou, China
Velan Valve (Suzhou) Co., Ltd.



Coimbatore, India
Velan Valves India Pvt. Ltd.

An extensive product line for all your industrial valve needs

A one-stop valve shop

Velan offers one of the most comprehensive valve product lines available from any manufacturer in sizes varying from NPS ¼–80, with pressure ratings from vacuum to over 10,000 psi, temperature ratings of up to 1,500°F, and availability of many material and design options.

From the most common application to the most severe, Velan has a solution. Our products incorporate many unique design features for low fugitive emissions, simple in-line maintenance, and long service life.

Built to order

Our valves are available with a large selection of steel body materials, trims, options and accessories. With options such as bypasses and equalizers to special trims for HF acid or NACE service, Velan can provide valves built to your needs—often directly from our sales network’s extensive stock.

All Velan valves are available with actuation packages according to your needs. This includes electric, hydraulic, and pneumatic actuation with a complete range of controls and sensors.

Engineering expertise

Velan has brought together a strong team of professional engineers with extensive experience in critical applications. Using advanced software applications including Finite Element Analysis (FEA), Computational Fluid Dynamics (CFD), and 3D Solid-Modeling, Velan’s engineers design superior quality valves that meet the most demanding performance requirements.

Customer support

Velan’s engineering team has a long history of working with customers to solve their valve application problems. Our team of application engineers offer professional advice and expertise enabling them to select the best valve for any environment.

		Type																	
		Angle	Ball, metal-seated	Ball, resilient-seated	Triple offset	Butterfly	Check, piston	Check, ball	Tilting disc	Check, swing	Check, dual-plate	No slam check	Control	Gate	Globe (stop), stop check	Needle	Parallelslide	Y-pattern (inclined)	Steam trap
Gate, globe, & check	Pressure seal and bolted bonnet																		
	API 600, API 623, & API 594 cast steel ⁽¹⁾																		
	API 603 stainless steel ⁽¹⁾																		
	API 602 small forged ^{(1) (2)}																		
	Bonnetless																		
Quarter-turn	Dual-plate check																		
	API 6D and 6A check and gate																		
	Memoryseal® ball																		
	Securaseal® metal-seated ball																		
	API 6D and 6A ball																		
	Coker ball																		
Special applications	General purpose ball																		
	Torqseal® triple offset																		
	Velflex™ cryogenic butterfly																		
	Bellows seal																		
	Cryogenic																		
	Cryogenic control																		
Steam traps	Control and choke																		
	HIPPS, ESDV																		
	Subsea																		

(1) The API designation defines the product design basis even though not all the valves are covered in the referenced API specification. These valves are also used in non-API service.

Delivering value through performance

Low total cost of ownership

When you take into account all the factors involved in owning a valve—including installation, service, and maintenance—the total cost of ownership of a valve can be several times the initial purchase price.

Velan valves are designed and manufactured to save you money by lowering maintenance costs and fugitive emissions and increasing service life—and the chance that a valve can be repaired rather than replaced. We offer value unparalleled in the industry.

The performance of our valves has been proven over and over again in thousands of qualification tests, independent studies, and, most importantly, in working field conditions.

To see our Product update for Velan valves that are dual qualified for API 641 and ISO-15848-1 go to our website and sign in as a My Velan member.

Velan valve product lines are backed by the most stringent fugitive emissions qualifications in the industry. With both graphite and PTFE packing options, dual qualified to API 624/641 and ISO-15848-1.

We also offer supplier-integrated engineering, value-added services, and all the other advantages you would expect from a world-class organization. Any way you look at it, Velan offers exceptional performance and value.

Size ranges	Pressure class	Temp.	Materials	Certifications	Industry
NPS 1/2 - 2 (DN 8 - 50)	ASME class 150	Cryogenic	Carbon steel	PED	Power
NPS 2 - 4 (DN 50 - 100)	ASME class 300	Low	Stainless steel	ASME N	Oil and gas upstream
NPS 4 - 24 (DN 100 - 600)	ASME class 600	High	Alloy steel	TA LUFT	Refining and petrochemical
NPS 26 (DN 650) and up	ASME class 900		Nickel alloy steel	API 6A	Chemical
	ASME class 1500			API 6D	Pulp and paper
	ASME class 2500			Fire tested	LNG and cryogenic
	ASME class 4500				Marine and navy
					Mining
					HVAC
					Water and wastewater

(2) Available in Class 800 in threaded and welded end connections.

• Inherently fire safe

Total quality commitment

Quality is our first priority

How does Velan design and manufacture valves that offer superior performance, reliability, and service life? We are committed to total quality in all we do. Since our company was founded, our entire philosophy has been focused on quality.

Our comprehensive Quality Assurance System is geared towards continuous improvement, process quality, and stringent compliance to worldwide standards including ASME N stamp and NPT, ISO 9001, ISO 14001, OHSAS 45001, PED, IEC 61508 SIL 3 Capable, GOST/EAC, API 6A and 6D and TA-Luft.

Design

Velan's Engineering Group performs FEA and qualification testing to validate designs. Velan has introduced many innovative technologies to the market, many of them simplifying maintenance and increasing service life. Keen attention to design detail and actual field feedback help us constantly improve our products and maximize performance.

Strategic procurement

Velan runs a strategic procurement program to help ensure final product quality. Velan's Casting Quality Program brings together resident engineers at foundries, at-foundry statistical analysis programs, and pour simulation software, to help us achieve an extremely low shell-leakage rejection rate of less than 0.05%.

Automated production

Velan has long been a leader in automated production of world-class valves. Our network of CNC machines employing Tool Data Management software and rigorous semi-automated testing ensure our valves have the tightest tolerance and the greatest level of consistency and reliability.

Production testing

Every Velan valve is subjected to hydrostatic testing before leaving the factory to help ensure problems won't arise in the field. Production tests are part of our strict QC Program, developed over many years as a leading supplier of nuclear valves.

Total Quality Commitment


Our aim is to offer products and services that not only meet but also clearly exceed the expectations of our customers.

Through training, teamwork, and performance, our employees strive to achieve continuous improvement of all processes.

Our goal is total quality and on-time delivery; our method is total commitment.

A.K. Velan
Founder


Gate, globe, and check valves



Forged pressure seal and large bolted bonnet gate, globe, and check valves for high pressure and high temperature service

Sizes: NPS 2–60 (DN 50–1500)
ASME classes: 150–4500

- One-piece forged bodies for superior strength and quality
- Live-loaded bonnet as a standard feature⁽¹⁾
- Graphite pressure seal gasket
- Machined body guides and a robust torque arm assembly
- Valve types
 - Gate: flexible wedge and parallel slide
 - Globe: angle, needle, and stop
 - Check: piston, swing, stop, and tilting disc
- Optional cast product offering
- Available in carbon, stainless, alloy (including F91), and nickel alloy steels
- Available for catalytic reforming, NACE (sour gas) and nuclear services



API 600, API 623, & API 594⁽²⁾ cast steel gate, globe, and check valves for a broad range of applications

Sizes: NPS 2–64 (DN 50–1600)
ASME classes: 150–1500


- World's largest manufacturer of cast steel gate, globe, and check valves
- Bubble-tight shut off of gate valves up to NPS 12 (DN 300)
- Valve types
 - Gate
 - Globe: needle and stop
 - Check: piston and swing
- Available in cast carbon, stainless, alloy, and nickel alloy steels
- Dual qualified to API 624 and ISO-15848-1⁽³⁾ and also available with bellows seal for zero emissions
- Available for block and bleed, cryogenic, HF acid, NACE (sour gas), and nuclear services



API 603⁽²⁾ corrosion-resistant stainless steel gate, globe, and swing check valves

Sizes: NPS ½–24 (DN 15–600)
ASME classes: 150–600

- Precision high quality investment castings
- Wall thickness to ASME B16.34
- Valve types
 - Gate
 - Globe: needle and stop
 - Check: stop and swing
- Available in cast stainless steel
- Integral seat design
- Option integral CoCr alloy seat face available for longer service life
- Dual qualified to API 624 and ISO-15848-1⁽³⁾
- Available for cryogenic and NACE (sour gas) services



Comprehensive range of small forged gate, globe, check, angle, and bellows seal valves

Sizes: NPS ¼–4 (DN 8–100)
ASME classes: 150–4500

- Bolted and welded bonnet body styles
- Valve types
 - Gate
 - Globe: angle, needle, and stop
 - Check: ball, piston, and swing
- Available in forged carbon, stainless, alloy (including F91), and nickel alloy steels
- Dual qualified to API 624 and ISO-15848-1⁽³⁾ and also available with bellows seal for zero emissions
- Available for block and bleed, cryogenic, HF acid, NACE (sour gas), and nuclear services

(1) Applicable to certain sizes and pressure classes – contact factory for verification.

(2) The API designation defines the product design basis even though not all the valves are covered in the referenced API specification. These valves are also used in non-API service.

(3) Consult the product update for details (Document code: PU-API 624).

Visit velan.com for Velan's latest product literature

Go to the *Resources* tab to see our most up-to-date library of literature and tools.

Join My Velan to gain access to additional resources including Maintenance manuals (IOMs), Data sheets, Product updates, Application notes, and our Supplier portal.

Gate, globe, and check valves




Bonnetless valves

Forged, one-piece high pressure y-pattern, oblique, vertical and angle valves

Sizes: NPS ¼–4 (DN 8–100)
ASME classes: 1690–4500

- One-piece forging with integral body-bonnet design
- Fully guided, non-spinning, CoCr alloy disc⁽¹⁾
- Non-rotating stem⁽¹⁾
- In-line repairable
- Valve types
 - Globe: needle and stop
 - Check: piston⁽²⁾
- Available in forged carbon steel, stainless, alloy (including F91 and F92), and nickel alloy steels⁽¹⁾
- Available with bellows seal⁽¹⁾
- Available for nuclear⁽¹⁾ and NACE (sour gas) services



Proquip dual-plate check valves

Retainerless dual-plate check valves for a broad range of applications

Sizes: NPS 2–60 (DN 50–1500)
ASME classes: 150–2500
API 6A classes: 2000–5000

- Lightweight and compact-size
- Retainerless design means zero fugitive emissions
- Self-seating feature extends valve life
- End body styles: Wafer, lug, double flange, hub-end, and butt-weld
- Available in carbon, low-temperature carbon, stainless, low-alloy, nickel alloy, titanium, nickel-alum-bronze, and carbon with Inconel 625 cladding
- Seating surfaces offered as metal-to-metal and soft seat
- Also available for cryogenic and NACE (sour gas) services



API 6D and 6A check and gate valves

API 6D and 6A axial flow and swing check, through conduit slab, and double expanding gate valves

Sizes: NPS 2–60 (DN 50–1500)
ASME classes: 150–2500
API 6A classes: 2000–15000

- **Axial flow check valve**
Non-slam type, spring assisted, metal-seated, internal venturi pattern, very fast response prevents water hammer, pump protection
- **Swing check valve**⁽⁴⁾
Non return valve, metal-seated, swing arm operable by a manual override for pipeline pigging operations
- **Through conduit gate**⁽⁴⁾
Block valve, soft or metal-seated, minimal resistance to the flow, reverse acting slab as option
- **Double expanding gate**⁽⁴⁾
Block valve with wedge formed by two pieces, moveable seats with angle compensation, DB&B feature for isolating the body cavity from the line
- Full range of automation capabilities
- For more information visit: abvvalves.com

(1) Applicable to y-pattern valves

(2) The piston check valve is designed with a screwed-in cover.

(3) Consult the product update for details (Document code: PU-API 624).

(4) Sizes up to NPS 2–36 (DN 50–900)

Visit velan.com for Velan's latest product literature

Go to the *Resources* tab to see our most up-to-date library of literature and tools.

Join My Velan to gain access to additional resources including Maintenance manuals (IOMs), Data sheets, Product updates, Application notes, and our Supplier portal.


Quarter-turn valves



Resilient-seated ball valves with value-added technical features for superior performance

Sizes: NPS ¼–24 (DN 8–600)
ASME classes: 150–600
WOG: up to 2000


- Memoryseal[®] in-tension flexible seat design
- Dual qualified to API 641 and ISO-15848-1⁽¹⁾
- Fire tested API 607/ISO 10497
- Body design: end-entry, one-piece, split-body, top-entry, unibody, and three-piece
- Available in carbon, stainless, alloy, and nickel alloy steels
- Available for chlorine, cryogenic, NACE (sour gas), nuclear, oxygen, throttling, and vacuum services



Severe service metal-seated ball valves for high temperature, abrasive, and corrosive applications

Sizes: NPS ½–24 (DN 15–600)
ASME classes: 150–4500
Temp: up to 1500°F (816°C)

- Shutoff to FCI 70-2 class 6
- Advanced trim coating technology
- Low emission options available to API 641 and ISO-15848-1⁽¹⁾
- Cast and forged bodies
- Available in carbon, stainless, alloy, duplex, titanium, and nickel alloy steels
- Available for mining HPAL and POX, slurry transportation, ebullated bed and slurry-phase hydrocrackers, batch digester capping, nuclear and oxygen service.



API 6D and API 6A floating and trunnion-mounted ball valves for oil and gas, pipeline, offshore, LNG, and petrochemical process

Sizes: NPS ½–60 (DN 15–1600)
ASME classes: 150–2500
API 6A classes: 2000–15000

- Body design: side-entry, top-entry, or fully welded
- Modular double block and bleed valves, also in compact face-to-face execution
- Anti blow-out stem, antistatic, fire safe design
- Soft-seated (leakage rate: A) or metal-seated (leakage rate: D)
- Self relieving or double piston effect seats
- Available in carbon or low temperature carbon steel, stainless steel, exotic alloys
- For severe service and aggressive environments
- Extended bonnet for cryogenic applications
- Stem extension for underground service
- Full range of automation capabilities
- For more information visit: abvvalves.com



Complete valve solutions for the delayed coker industry and high temperature slurry applications

Sizes: NPS 3–36 (DN 80–900)
ASME classes: 150–900

- Switch valves NPS 3–18 (DN 80–450) ASME classes 300–900
- Isolation valves NPS 3–36 (DN 80–900) ASME classes 150–900
- Low emission options available to API 641 and ISO-15848-1⁽¹⁾
- Complete automation packages including valve interlocks through PLC or DCS
- Two wire loop controls and diagnostic packages


(1) Consult the product update for details (Document code: PU-API 641).

Visit velan.com for Velan's latest product literature

Go to the *Resources* tab to see our most up-to-date library of literature and tools.

Join My Velan to gain access to additional resources including Maintenance manuals (IOMs), Data sheets, Product updates, Application notes, and our Supplier portal.

Quarter-turn valves



Resilient-seated ball valves for general use and commodity applications

Sizes: NPS ¼ – 2 (DN 8 – 50)
WOG: 600 – 2000

- Body design: end-entry (two-piece), one-piece/unibody, and three-piece (bolted)
- Available in carbon and stainless steel
- Seats made of glass reinforced PTFE
- Available in reduced, regular, or full port designs
- Butt weld, threaded, and socket weld connections



Bi-directional, zero-leakage, metal-seated triple offset valves

Sizes: NPS 3 – 96 (DN 80 – 2400)
ASME classes: 150 – 900
Temp: -425 to 1,200°F (-254 to 650°C)

- Zero-leakage to API 598 resilient-seat standard
- Zero-leakage testing to API 6D standard available on request
- Bi-directional shutoff
- Fire tested to API 607/ISO 10497
- Available in lug or wafer per API 609, flanged per ISO 5752 or ASME B16.10, and butt weld per ASME B16.10 body patterns
- Available in carbon, stainless, alloy, duplex, titanium, and nickel alloy steels
- Dual qualified to API 641 and ISO-15848-1⁽¹⁾
- Available for cryogenic, NACE (sour gas), nuclear service, and vacuum service
- SIL 3 certified



High performance cryogenic metal-seated butterfly valves

Sizes: NPS 6 – 48 (DN 150 – 1200)
ASME classes: 150 – 300
Temp: down to -420°F (-252°C)

- Butt-weld end or flanged types
- Side-entry design offers easy in-line maintenance
- Bi-directional shutoff
- Zero-leakage to API 598
- Metallic seal (Velflex™ technology)
- Fire tested (API 607 rev. 4, API 6FA and BS 6755 - Part II)

⁽¹⁾ Consult the product update for details (Document code: PU-API 641).

Visit velan.com for Velan's latest product literature

Go to the *Resources* tab to see our most up-to-date library of literature and tools.

Join My Velan to gain access to additional resources including Maintenance manuals (IOMs), Data sheets, Product updates, Application notes, and our Supplier portal.

Special applications



Steam traps

An extensive range of traps for steam and air lines

Sizes: NPS 3/8–3 (DN 10–80)

Temp: up to 1,100°F (593°C)

Pressure: up to 4000 psi (276 bar)

Capacities: 160,000 lb/hr
(72,575 kg/hr)

- Available in Piping King arrangements
- Cage unit design for easy in-line repair
- Float bimetallic, hermetically sealed, piston-operated, space-heating, and thermodynamic types
- Optional blowdown valve, temperature controller, thermometer, and vacuum breaker available



Bellows seal valves

The original hermetically sealed bellows seal valves for absolute zero-leakage service

Sizes: NPS 1/2–12 (DN 15–300)

ASME classes: 150–1500

- Multi-ply stainless steel, iniconel and hastelloy bellows for long service life
- Gate, globe (angle, needle, and stop), and control valves
- Available in carbon, stainless, alloy, and nickel alloy steels
- Available for lethal, NACE (sour gas), nuclear, and vacuum service



Cryogenic control valves

Severe service control valves for extreme temperature applications

Sizes: NPS 1/4–16 (DN 8–400)

ASME classes: 150–4500

Temp: down to -457°F (-272°C)

Cv: 0.01 to 3074

- Resilient stainless steel design
- Linear or equal percentage flow characteristics
- Top-entry for easy maintenance
- Excellent seat tightness
- Cold box adaptation
- Available in angle, straight or y-pattern patterns
- Anti-cavitation, and low dB design for critical applications
- Vacuum jacketed on request



Control and choke valves

Caged ball valves and DTP⁽¹⁾ trim control valves for severe service and choke applications

Sizes: NPS 1–48 (DN 25–1200)

ASME classes: 150–4500

API 6A classes: 2000–15000

- **KEY-C:** Control ball valve trunion mounted with special caged trim for noise reduction and cavitation/flashing prevention. Unidirectional, only one metal seat on the up-stream part. Very high rangeability
- **DTP:** Angle body construction with multi-stage trim suitable for high energy dissipation and for high level of reliability, excellent erosion resistance, suitable for low noise applications
- Trim materials with highest mechanical performances to guarantee long trim life and low maintenance cost
- DPT choke valve for wellhead– mainly oil and gas applications
- Full range of automation capabilities
- For more information visit: abvvalves.com

(1) Discrete tortuous path (DPT) trim

Automation capabilities

Velan offers a wide range of products to address each customer application.

- Electric, hydraulic, and pneumatic actuation
- Pre-installation of switches, positioners, thrust and torque sensors, signal conditioners
- Integral control actuation and two-wire control
- Overrides, limit stops, and most standard accessories

Visit velan.com for Velan's latest product literature

Go to the *Resources* tab to see our most up-to-date library of literature and tools.

Join My Velan to gain access to additional resources including Maintenance manuals (IOMs), Data sheets, Product updates, Application notes, and our Supplier portal.

Special applications



HIPPS - High integrity pressure protection system and ESDV - Emergency shutdown valves

Sizes: NPS ½ – 48 (DN 15–1200)
ASME classes: 150 – 2500
API 6A classes: 2000 – 15000

- Complete system: valve actuator and control panel; optionally, logic solver and pressure transmitters can be supplied
- Fast operation (down to less than 2 seconds for HIPPS)
- Fail close emergency action
- Hydraulic or pneumatic actuator solution, spring return or double acting with auxiliary tank
- High Safety Integrity Level (up to SIL 3 for a single actuated valve) & SIL certification
- Partial stroking test functionality to increase the reliability
- Full range of automation capabilities
- For more information visit: abvvalves.com



Subsea ball and check valves; hydraulic actuators and gear operators with handwheel/ ROV for shallow water

Sizes: NPS ½ – 48 (DN 15–1200)
ASME classes: 150 – 2500
API 6A classes: 2000 – 15000

- Valve designed and tested as per API 6DSS
- Corrosion-resistant alloys on dynamic sealing surfaces and ring joint grooves as a minimum
- Redundant sealing for high reliability
- Valve operable down to a water depth of 500 m (1700 ft)
- Suitable for high percentage of sand and solid particles
- Fully piggable design options
- Baric compensator device to avoid structural overstress
- Full range of automation capabilities
- For more information visit: abvvalves.com

Visit velan.com for Velan's latest product literature

Go to the *Resources* tab to see our most up-to-date library of literature and tools.

Join My Velan to gain access to additional resources including Maintenance manuals (IOMs), Data sheets, Product updates, Application notes, and our Supplier portal.

Research & Development

Velan's Research & Development (R&D) group is a key part of the Velan engineering team, and the services they provide include technical project management, design and analysis, standard and customized experimentation, performance evaluation, and turn-key support from project initiation to program completion.

Velan's R&D provides customized testing programs, working closely with specialized third-party labs, to help develop and qualify our valves to client's specifications and qualification needs.



Customers get a first hand look at Velan's R & D facilities in Montreal, Canada.

Our R&D facilities, equipped with steam boilers, superheaters, flow loops, fugitive emissions, and cryogenic test stands, enable us to run comprehensive testing programs.

Velan also has a long-standing history of partnering with major architects/engineers and end users to develop innovative solutions for their valve needs.

Aftermarket & Field Service

Velan offers our end-users technical support and in-line service and maintenance on all our valve products. We are your one-stop shop for repairs backed by Velan quality and warranty. We offer complete support leading up to and throughout your maintenance outages and turnarounds.

Our team of service engineers and technicians are available 24 hours a day. We are equipped with the most sophisticated tools available and have over 70 years of valve service experience in a wide range of applications.

Velan has a network of authorized service shops across the globe, ensuring we can meet your maintenance and service requirements whatever your location. Visit our website to find a service shop in your area.

Spare parts

Certified genuine Velan in-stock spare parts are at locations around the world. Our spare parts are manufactured to Velan's stringent quality standards for easy replacement. OEM parts are guaranteed to work. We offer competitive lead times, expedited shipment capability, and upgrade options to make your equipment last longer.



On-site service for Velan valves.

Contact Aftermarket

For technical support or a spare parts quote: +1 514-748-7743

Emergency technical support: +1 866-994-5656

Email:

Technical support: after.market@velan.com

Spare part quotes: spare.parts@velan.com

Velan's extensive portfolio of valves are installed worldwide to handle diverse applications



Process

- Refining and downstream
- Unconventional oil processing
- Chemicals and petrochemical
- Coker
- Mining
- Cryogenic
- HF Alkylation
- Pulp and paper

Upstream and midstream

- Onshore exploration and production
- Pipelines
- Underground gas storage
- LNG liquefaction and regasification terminals and tank farms
- Offshore production, platforms, FPSOs, and FLNGs
- Subsea

Power

- Nuclear
- Fossil
- Combined-cycle
- Supercritical and ultra-supercritical
- Geothermal
- Solar
- Hydro
- Biomass

Learn more – visit our website: velan.com

Go to the *Resources* tab on velan.com for our most up-to-date library of literature and tools.

“Join My Velan” to gain access to additional resources including Maintenance manuals (IOMs), Data sheets, Product updates, Application notes, and our Supplier portal.



Headquartered in Montreal, Canada, Velan has several international subsidiaries. For general inquiries:

Velan Head Office:
7007 Côte de Liesse, Montreal, QC
H4T 1G2 Canada

Tel: +1 514 748 7743
Fax: +1 514 748 8635

For more contact information visit velan.com

© 2021 Velan Inc., Montreal, QC, Canada. All rights reserved. The contents hereof are confidential and proprietary to Velan. Any unauthorized reproduction or disclosure, in whole or in part, is strictly prohibited. The material in this catalog is for general information only and shall not be used for specific performance data and material selection without first consulting Velan. Velan reserves the right to change this information without notice. Velan does not accept any liability or damages arising from the use of information in this catalog. Velan, Velan Ultraflex, Steamless, Moss, Torqseal, Memoryseal, Securaseal, Velflex, Rama, Clama, Adareg, and Rama Clama II are trademarks or registered trademarks of Velan Inc. and/or another Velan company. One or more of these trademarks are registered in certain countries/regions, please contact Velan Inc's legal department for further information. All other trademarks and registered trademarks are owned by their respective companies.

BRO-FLB-11-21

Velan reserves the right to change this information without notice. © 2021 Velan Inc. All rights reserved.

VELAN