



CERTIFICATE OF QUALITY SYSTEM APPROVAL

N° CE-0062-PED-H-VLN 001-22-CAN-rev-A

Bureau Veritas Services SAS, acting within the scope of its notification (notified body number 0062), attests that the quality system operated by the manufacturer for design, manufacture, final product inspection and testing of the pressure equipment/assembly identified hereunder has been examined against the provisions of annex III, module H, of the Pressure Equipment Directive n° 2014/68/EU, and found to satisfy the provisions of the directive which apply to it.

Manufacturer (Name):	Velan, Inc.
Address:	7007 Cote De Liesse Montreal, Quebec H4T 1G2, Canada
Trading Name - Mark:	Velan, Inc. (See Annex for Additional Manufacturing Facilities)
Equipment/Assembly description:	Globe, Gate, Check, Ball, Ring, Coker, Check and Needle Valves
Identification of equipment/assemblies concerned (or list on the back or attached where necessary):	See Listed on Page 2 and in Annex
Existence of an annex to the certificate	See Annex

This certificate will expire on (dd/mm/yyyy): 29/10/2025

The approval is conditional upon the surveillance audits, visits, tests and verifications to be carried out by the local Bureau Veritas entity that entered into a contract with the manufacturer, pursuant to the provisions of such contract.

This certificate shall be deemed to be void and the manufacturer shall alone bear any consequences pursuant to its use, where the manufacturer fails to comply with his undertakings as per the agreement in respect of (a) implementation of the approved quality system and (b) inspection and tests on the final product, and generally where the manufacturer fails in particular to comply with any of his obligations under directive nr 2014/68/EU of 15 may 2014 as transposed in the applicable law(s).

Made at	On (dd/mm/yyyy)	Approved and Recorded in	Signed by	Signature authorised by Notified Body No 0062
Lynn, MA	06/02/2025	France	CHIN CHAI	

Registration Code: 2025/000246/CE-0062-PED

The present document is subject to the terms of General Conditions of Service attached to the agreement signed by the applicant.
The present document shall not be reproduced, except by the manufacturer in compliance with the provisions of the contract entered into between the local Bureau Veritas entity and the manufacturer.


**BUREAU
VERITAS**

N° CE-0062-PED-H-VLN 001-22-CAN-rev-A

This revision supersedes certificate

CE-0062-PED-H-VLN 001-22-CAN

Reason of revision: Name change for Plant#3 in the "Additional Approved Manufacturing Facilities". No change in scope.

"Important Note: the modifications introduced by the present revision have been assessed according to directive 2014/68/EU; the parts of the equipment/assembly which are not modified are still in conformity with directive 97/23/EC"

List of the concerned equipment/assemblies

QUARTER TURN VALVES:

- Unibody Memory Seal Ball Valves: 1-1/2" to 12", 150# to 300#
- Split Body Ball Valves: 1-1/2" to 24", 150# to 600#
- HB 2000 Ball Valves: 1-1/4" to 2", 2000 psi
- End Entry Ball Valves: 1-1/4" to 2", 1000 psi to 2000 psi
- General Purpose Ball Valves VTP 2000: 1-1/2" to 2", 800# Securaseal
- Metal Seated Ball Valves: 1-1/4" to 24", 150# to 2500#
- Cast Steel 4-Way Coker Switch Ball Valves: 6" to 14", 300# to 900#
- Cast Steel 2-Way Coker Ball Valves: 2" to 80", 150# to 900# Ring Valves: 14" to 30", 300#
- Cast Steel Coker Ring Valves: 14" to 30", 300#
- Top Entry Ball Valves, Standard, Bellows-Seal and Cryogenic: 1-1/4" to 4", 150# to 600#
- Power Ball Valves, ASME B16.34: 1-1/4" to 4", 900# to 4500#
- Triple Offset, Metal Seated Butterfly Valves: 3" to 36", 150# to 300#
- Dual Plate Check Valves, API 594: 2" to 60", 150# to API 10000#, Wafer, Lug, Flanged, and Buttweld ends (Trademark – Velan Proquip)

MULTITURN VALVES:

- Cast Steel Gate Valves, API 600 and ASME B16.34: 2" to 60", 150# to 1500#
- Cast Steel Globe Valves, API 623 and ASME B16.34: 1-1/2" to 16", 150# to 1500#
- Cast Steel Swing Check Valves, API 594 and ASME B16.34: 1-1/2" to 24", 150# to 2500#
- Knife Gate (Bonnetless & Bolted Bonnet) Valves: 2" to 36", 150 psi
- Cast/Forged Pressure Seal Gate Valves, ASME B16.34: 2" to 24", 600# to 4500#
- Cast/Forged Pressure Seal Check Valves (swing & tilted disc), ASME B16.34: 2" to 24", 600# to 2500#
- Cast/Forged Pressure Seal Globe, Stop Check and Needle Valves (vertical, Y-pattern, and elbow down), ASME B16.34: 2" to 24", 600# to 4500#

SEE ADDITIONAL LIST OF CONCERNED EQUIPMENT CONTINUED IN ANNEX

N° CE-0062-PED-H-VLN 001-22-CAN-rev-A

Annex to the Certificate

LIST OF CONCERNED EQUIPMENT (Continued):

MULTITURN VALVES:

- Forged Steel Y-Pattern Bonnetless Globe Valves, ASME B16.34: 1-1/2" to 4", 150# to 4500#
- Forged Steel Bolted & Welded Bonnet Gate, API 602 and ASME B16.34, Drain and IREB Valves: 1-1/4" to 2", 150# to 4500#
- Forged Steel Bolted Bonnet Bellow Seal and Cryogenic Gate Valves, API 602 and ASME B16.34: 1-1/4" to 2", 150# to 800#
- Forged Steel Bolted & Welded Bonnet Globe, Stop Check, Needle and Blow-off Valves (vertical and inclined), API 602 and ASME B16.34: 1-1/4" to 2", 150# to 2680#
- Forged Steel Bolted & Welded Cover Ball Check and Piston Check Valves, ASME B16.34: 1-1/4" to 2", 150# to 4500#
- Forged Steel Bolted Cover Swing Check Valves, API 602 and ASME B16.34: 1-1/4" to 2", 150# to 1500#
- Forged Steel Welded & Bolted Bonnet Bellow Seal Globe and Needle Valves, Standard and Cryogenic, API 602 and ASME B16.34: 1-1/4" to 2", 150# to 800#
- API 603 Cast Steel Gate Valves, 1-1/2" to 12", 150# - 300#

Additional Approved Manufacturing Facilities:

Velan Valve USA Opco, Inc. (Plant #3)
94 Avenue C
Williston, Vermont 05495
USA

Velan Inc. (Plant #4)
1010 Cowie Street
Granby, Quebec J2J 1E7
CANADA